

Xiamen Ditai Imp & Exp Co., Ltd.

Tel: 86-592-2680883

E-mail: janet.le@xmditai.com

Fax: 86-592-2680880

contact person: Janet Le

Quick Details

Classification:

Chloride

Type:

Calcium Chloride

CAS No.:

10043-52-4

Other Names:

Anhydrous Calcium Chloride pellet 94%

MF:

CaCl₂

EINECS No.:

233-140-8

Place of Origin:

China (Mainland)

Grade Standard:

Food Grade, Industrial Grade

Purity:

above 94%

Appearance:
white pellet

Brand Name:
DITAI

Packaging & Delivery

Packaging Details

25kg/bag, 50kg/bag, 1000kg , jumbo .Plastic woven bag with PE liner.

Delivery Time

within 15days against prepayment or L/C

Specifications:

CaCl ₂ %	≥94.0
NaCl %	≤2.5
Water insolubility %	≤0.30
Ca(OH) ₂ %	≤0.35
Acid Insoluble matter %	≤0.10
Sulphate %	≤0.10
Acidity %	Pass experiment

Application:

Used as dryer to dry nitrogen, oxygen, hydrogen, hydrogen chloride and sulfur dioxide. Act as

dehydration agent when producing alcohol, ester, aether and acrylic acid. Cryogen used by freezing

machine and when making ice. It can speeden hardness of concrete and increase cold resistance ability

of construction sandpulp. In port, act as fog removing agent and dust collecting agent on road and fireproof agent of textile. Protective agent and refining agent of aluminum magnesium metallurgy. Act as precipitator in producing lake paint. It is a kind of raw material of producing calcium salt. In

algae sodium and bean industry it acts as flocculation. It can be used to adjust PH value of water

for swimming pool. And it can also be used to oil drilling industry.